





# Cầu dao tự động SH200, S200

## Đặc điểm





Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60898

Sản phẩm	Số cực	Khả năng cắt (KA) Icn	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	1P	6	6	SH201-C6	2CDS211001R0064	188,000
			10	SH201-C10	2CDS211001R0104	188,000
			16	SH201-C16	2CDS211001R0164	188,000
			20	SH201-C20	2CDS211001R0204	188,000
			25	SH201-C25	2CDS211001R0254	188,000
			32	SH201-C32	2CDS211001R0324	189,000
			40	SH201-C40	2CDS211001R0404	230,000
			50	SH201-C50	2CDS211001R0504	309,000
			63	SH201-C63	2CDS211001R0634	309,000
			80	S201-C80	2CDS251001R0804	1,097,000
100	S201-C100	2CDS251001R0824	1,406,000			
	2P	6	6	SH202-C6	2CDS212001R0064	541,000
			10	SH202-C10	2CDS212001R0104	531,000
			16	SH202-C16	2CDS212001R0164	531,000
			20	SH202-C20	2CDS212001R0204	531,000
			25	SH202-C25	2CDS212001R0254	531,000
			32	SH202-C32	2CDS212001R0324	531,000
			40	SH202-C40	2CDS212001R0404	641,000
			50	SH202-C50	2CDS212001R0504	890,000
			63	SH202-C63	2CDS212001R0634	894,000
			80	S202-C80	2CDS252001R0804	2,192,000
100	S202-C100	2CDS252001R0824	2,808,000			
	3P	6	6	SH203-C6	2CDS213001R0064	871,000
			10	SH203-C10	2CDS213001R0104	866,000
			16	SH203-C16	2CDS213001R0164	866,000
			20	SH203-C20	2CDS213001R0204	866,000
			25	SH203-C25	2CDS213001R0254	866,000
			32	SH203-C32	2CDS213001R0324	868,000
			40	SH203-C40	2CDS213001R0404	978,000
			50	SH203-C50	2CDS213001R0504	1,251,000
			63	SH203-C63	2CDS213001R0634	1,251,000
			80	S203-C80	2CDS253001R0804	3,288,000
100	S203-C100	2CDS253001R0824	4,211,000			
	4P	6	6	SH204-C6	2CDS214001R0064	1,581,000
			10	SH204-C10	2CDS214001R0104	1,581,000
			16	SH204-C16	2CDS214001R0164	1,581,000
			20	SH204-C20	2CDS214001R0204	1,581,000
			25	SH204-C25	2CDS214001R0254	1,581,000
			32	SH204-C32	2CDS214001R0324	1,581,000
			40	SH204-C40	2CDS214001R0404	1,859,000
			50	SH204-C50	2CDS214001R0504	2,088,000
			63	SH204-C63	2CDS214001R0634	2,088,000
			80	S204-C80	2CDS254001R0804	5,345,000
100	S204-C100	2CDS254001R0824	7,893,000			

# Cầu dao tự động S200M

## Đặc điểm





Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60898, IEC 60947

Sản phẩm	Số cực	Khả năng cắt (KA) Icn	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	1P	10	6	S201M-C6	2CDS271001R0064	407,000
			10	S201M-C10	2CDS271001R0104	407,000
			16	S201M-C16	2CDS271001R0164	407,000
			20	S201M-C20	2CDS271001R0204	408,000
			25	S201M-C25	2CDS271001R0254	408,000
			32	S201M-C32	2CDS271001R0324	408,000
			40	S201M-C40	2CDS271001R0404	494,000
			50	S201M-C50	2CDS271001R0504	719,000
	2P	10	6	S202M-C6	2CDS272001R0064	1,363,000
			10	S202M-C10	2CDS272001R0104	1,352,000
			16	S202M-C16	2CDS272001R0164	1,352,000
			20	S202M-C20	2CDS272001R0204	1,352,000
			25	S202M-C25	2CDS272001R0254	1,543,000
			32	S202M-C32	2CDS272001R0324	1,543,000
			40	S202M-C40	2CDS272001R0404	1,692,000
			50	S202M-C50	2CDS272001R0504	2,307,000
			63	S202M-C63	2CDS272001R0634	2,303,000
			80	SY202-C80	2CDS252230R0804	3,134,000
	3P	10	6	S203M-C6	2CDS273001R0064	2,095,000
			10	S203M-C10	2CDS273001R0104	2,104,000
			16	S203M-C16	2CDS273001R0164	2,104,000
			20	S203M-C20	2CDS273001R0204	2,106,000
			25	S203M-C25	2CDS273001R0254	2,306,000
			32	S203M-C32	2CDS273001R0324	2,314,000
			40	S203M-C40	2CDS273001R0404	2,576,000
			50	S203M-C50	2CDS273001R0504	3,525,000
	4P	10	6	S204M-C6	2CDS274001R0064	2,963,000
			10	S204M-C10	2CDS274001R0104	2,943,000
			16	S204M-C16	2CDS274001R0164	2,943,000
			20	S204M-C20	2CDS274001R0204	2,959,000
			25	S204M-C25	2CDS274001R0254	3,230,000
			32	S204M-C32	2CDS274001R0324	3,224,000
			40	S204M-C40	2CDS274001R0404	3,908,000
			50	S204M-C50	2CDS274001R0504	4,743,000
63	S204M-C63	2CDS274001R0634	4,776,000			

# Cầu dao tự động S300P

## Đặc điểm





Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
Đường cong loại C (Các đường cong khác vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60898, IEC 60947

Sản phẩm	Số cực	Khả năng cắt (KA) Icn	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)	
	1P	25	6	S301P-C6	2CDS381001R0064	1,009,000	
			10	S301P-C10	2CDS381001R0104	878,000	
			16	S301P-C16	2CDS381001R0164	878,000	
			20	S301P-C20	2CDS381001R0204	1,009,000	
			25	S301P-C25	2CDS381001R0254	1,053,000	
		20	32	S301P-C32	2CDS381001R0324	1,140,000	
			40	S301P-C40	2CDS381001R0404	1,229,000	
			15	50	S301P-C50	2CDS381001R0504	1,317,000
				63	S301P-C63	2CDS381001R0634	1,360,000
				2P	25	6	S302P-C6
10	S302P-C10	2CDS382001R0104				2,009,000	
16	S302P-C16	2CDS382001R0164				2,009,000	
20	S302P-C20	2CDS382001R0204				2,310,000	
25	S302P-C25	2CDS382001R0254				2,411,000	
20	32	S302P-C32			2CDS382001R0324	2,612,000	
	40	S302P-C40			2CDS382001R0404	2,812,000	
	15	50			S302P-C50	2CDS382001R0504	3,014,000
		63			S302P-C63	2CDS382001R0634	3,114,000
		3P			25	6	S303P-C6
10			S303P-C10	2CDS383001R0104		3,053,000	
16			S303P-C16	2CDS383001R0164		3,053,000	
20			S303P-C20	2CDS383001R0204		3,510,000	
25			S303P-C25	2CDS383001R0254		3,664,000	
20			32	S303P-C32	2CDS383001R0324	3,969,000	
			40	S303P-C40	2CDS383001R0404	4,274,000	
			15	50	S303P-C50	2CDS383001R0504	4,579,000
				63	S303P-C63	2CDS383001R0634	4,732,000
				4P	25	6	S304P-C6
10	S304P-C10	2CDS384001R0104				4,387,000	
16	S304P-C16	2CDS384001R0164				4,387,000	
20	S304P-C20	2CDS384001R0204				5,044,000	
25	S304P-C25	2CDS384001R0254				5,263,000	
20	32	S304P-C32			2CDS384001R0324	5,702,000	
	40	S304P-C40			2CDS384001R0404	6,141,000	
	15	50			S304P-C50	2CDS384001R0504	6,579,000
		63			S304P-C63	2CDS384001R0634	6,799,000

# Cầu dao tự động SH800

## Đặc điểm





Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60947

Sản phẩm	Số cực	Khả năng cắt (KA) Icu	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	1P	10	80	SH801-C80	2TAZ190100R0804	1,552,000
			100	SH801-C100	2TAZ190100R0824	1,552,000
			125	SH801-C125	2TAZ190100R0844	1,552,000
	2P	10	80	SH802-C80	2TAZ190200R0804	3,181,000
			100	SH802-C100	2TAZ190200R0824	3,181,000
			125	SH802-C125	2TAZ190200R0844	3,181,000
	3P	10	80	SH803-C80	2TAZ190300R0804	4,501,000
			100	SH803-C100	2TAZ190300R0824	4,501,000
			125	SH803-C125	2TAZ190300R0844	4,501,000
	4P	10	80	SH804-C80	2TAZ190400R0804	6,364,000
			100	SH804-C100	2TAZ190400R0824	6,364,000
			125	SH804-C125	2TAZ190400R0844	6,364,000

# Cầu dao tự động S800

## Đặc điểm





Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60947

Sản phẩm	Số cực	Khả năng cắt (KA) Icu	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	1P	50	6	S801S-C6	2CCS861001R0064	4,189,000
			10	S801S-C10	2CCS861001R0104	3,491,000
			16	S801S-C16	2CCS861001R0164	3,491,000
			20	S801S-C20	2CCS861001R0204	3,491,000
			25	S801S-C25	2CCS861001R0254	3,491,000
			32	S801S-C32	2CCS861001R0324	3,491,000
			40	S801S-C40	2CCS861001R0404	3,901,000
			50	S801S-C50	2CCS861001R0504	3,901,000
			63	S801S-C63	2CCS861001R0634	3,901,000
			80	S801P-C80	2CCG001226R0001	2,931,000
			100	S801P-C100	2CCG001227R0001	2,931,000
			125	S801P-C125	2CCG001228R0001	3,810,000
				2P	50	6
10	S802S-C10	2CCS862001R0104				7,161,000
16	S802S-C16	2CCS862001R0164				7,161,000
20	S802S-C20	2CCS862001R0204				7,161,000
25	S802S-C25	2CCS862001R0254				7,161,000
32	S802S-C32	2CCS862001R0324				7,161,000
40	S802S-C40	2CCS862001R0404				8,000,000
50	S802S-C50	2CCS862001R0504				8,000,000
63	S802S-C63	2CCS862001R0634				8,000,000
80	S802P-C80	2CCG001229R0001				6,712,000
100	S802P-C100	2CCG001230R0001				6,712,000
125	S802P-C125	2CCG001231R0001				8,725,000
	3P	50				6
			10	S803S-C10	2CCS863001R0104	10,117,000
			16	S803S-C16	2CCS863001R0164	10,117,000
			20	S803S-C20	2CCS863001R0204	10,117,000
			25	S803S-C25	2CCS863001R0254	10,117,000
			32	S803S-C32	2CCS863001R0324	10,117,000
			40	S803S-C40	2CCS863001R0404	11,318,000
			50	S803S-C50	2CCS863001R0504	11,318,000
			63	S803S-C63	2CCS863001R0634	11,318,000
			80	S803P-C80	2CCG001232R0001	10,199,000
			100	S803P-C100	2CCG001233R0001	10,199,000
			125	S803P-C125	2CCG001234R0001	13,259,000
				4P	50	6
10	S804S-C10	2CCS864001R0104				14,305,000
16	S804S-C16	2CCS864001R0164				14,305,000
20	S804S-C20	2CCS864001R0204				14,305,000
25	S804S-C25	2CCS864001R0254				14,305,000
32	S804S-C32	2CCS864001R0324				14,305,000
40	S804S-C40	2CCS864001R0404				15,998,000
50	S804S-C50	2CCS864001R0504				15,998,000
63	S804S-C63	2CCS864001R0634				15,998,000
80	S804P-C80	2CCG001235R0001				14,653,000
100	S804P-C100	2CCG001236R0001				14,653,000
125	S804P-C125	2CCG001237R0001				19,049,000

# Cầu dao tự động S800

## Đặc điểm

Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60947

Sản phẩm	Số cực	Khả năng cắt (KA) Icn	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	1P	36	6	S801N-C6	2CCS891001R0064	3,351,000
			10	S801N-C10	2CCS891001R0104	2,792,000
			16	S801N-C16	2CCS891001R0164	2,792,000
			20	S801N-C20	2CCS891001R0204	2,792,000
			25	S801N-C25	2CCS891001R0254	2,792,000
			32	S801N-C32	2CCS891001R0324	2,792,000
			40	S801N-C40	2CCS891001R0404	3,121,000
			50	S801N-C50	2CCS891001R0504	3,121,000
			63	S801N-C63	2CCS891001R0634	3,121,000
				2P	36	6
10	S802N-C10	2CCS892001R0104				5,724,000
16	S802N-C16	2CCS892001R0164				5,724,000
20	S802N-C20	2CCS892001R0204				5,724,000
25	S802N-C25	2CCS892001R0254				5,724,000
32	S802N-C32	2CCS892001R0324				5,724,000
40	S802N-C40	2CCS892001R0404				6,398,000
50	S802N-C50	2CCS892001R0504				6,398,000
63	S802N-C63	2CCS892001R0634				6,398,000
	3P	36				6
			10	S803N-C10	2CCS893001R0104	8,097,000
			16	S803N-C16	2CCS893001R0164	8,097,000
			20	S803N-C20	2CCS893001R0204	8,097,000
			25	S803N-C25	2CCS893001R0254	8,097,000
			32	S803N-C32	2CCS893001R0324	8,097,000
			40	S803N-C40	2CCS893001R0404	9,049,000
			50	S803N-C50	2CCS893001R0504	9,049,000
			63	S803N-C63	2CCS893001R0634	9,049,000
				4P	36	6
10	S804N-C10	2CCS894001R0164				11,449,000
16	S804N-C16	2CCS894001R0204				11,449,000
20	S804N-C20	2CCS894001R0254				11,449,000
25	S804N-C25	2CCS894001R0324				11,449,000
32	S804N-C32	2CCS894001R0324				11,449,000
40	S804N-C40	2CCS894001R0404				12,795,000
50	S804N-C50	2CCS894001R0504				12,795,000
63	S804N-C63	2CCS894001R0634				12,795,000

# Cầu dao tự động SN201 với thiết kế nhỏ gọn

## Đặc điểm

Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
1P+N bề rộng chỉ 1 module  
Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
Tiêu chuẩn: IEC 60898




Sản phẩm	Số cực	Khả năng cắt (KA) Icu	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	1P+N	4.5	6	SN201 L C6	2CSS245101R0064	1,279,000
			10	SN201 L C10	2CSS245101R0104	1,175,000
			16	SN201 L C16	2CSS245101R0164	1,046,000
			20	SN201 L C20	2CSS245101R0204	1,278,000
			25	SN201 L C25	2CSS245101R0254	1,307,000
			32	SN201 L C32	2CSS245101R0324	1,332,000
			40	SN201 L C40	2CSS245101R0404	1,379,000
			6	SN201 C6	2CSS255101R0064	797,000
			10	SN201 C10	2CSS255101R0104	738,000
			16	SN201 C16	2CSS255101R0164	738,000
			20	SN201 C20	2CSS255101R0204	825,000
			25	SN201 C25	2CSS255101R0254	883,000
	32	SN201 C32	2CSS255101R0324	883,000		
	40	SN201 C40	2CSS255101R0404	966,000		
	10	10	6	SN201 M C6	2CSS275101R0064	746,000
	10		SN201 M C10	2CSS275101R0104	770,000	
	16		SN201 M C16	2CSS275101R0164	578,000	
	20		SN201 M C20	2CSS275101R0204	871,000	
	25		SN201 M C25	2CSS275101R0254	939,000	
	32		SN201 M C32	2CSS275101R0324	939,000	
	40	SN201 M C40	2CSS275101R0404	1,046,000		

# Cầu dao tự động S202C - thiết kế nhỏ gọn

## Đặc điểm

Dùng đóng cắt, bảo vệ quá tải, ngắn mạch mạng điện  
 2P với bề rộng chỉ 1 module  
 Đường cong loại C (Đường cong B, D vui lòng liên hệ ABB)  
 Tiêu chuẩn: IEC 60898



Sản phẩm	Số cực	Khả năng cắt (KA) Icu	Dòng Định mức (A) In	Loại	Mã sản phẩm	Đơn giá (VND)
	2P	6	6	S202C-C6	2CDS252280R0064	1,224,000
			10	S202C-C10	2CDS252280R0104	1,170,000
			16	S202C-C16	2CDS252280R0164	1,170,000
			20	S202C-C20	2CDS252280R0204	1,170,000
			25	S202C-C25	2CDS252280R0254	1,170,000
			32	S202C-C32	2CDS252280R0324	1,170,000
			40	S202C-C40	2CDS252280R0404	1,170,000
	10		6	S202CM-C6	2CDS272280R0064	1,373,000
			10	S202CM-C10	2CDS272280R0104	1,310,000
			16	S202CM-C16	2CDS272280R0164	1,310,000
			20	S202CM-C20	2CDS272280R0204	1,310,000
			25	S202CM-C25	2CDS272280R0254	1,310,000
			32	S202CM-C32	2CDS272280R0324	1,310,000