

# Bảng thông số sản phẩm

Thông số kỹ thuật



Socket, Mureva PK, panel-mounted, straight, 16A, 2P+E, 220V, IP67

PKF16G723

## Main

Range	Mureva
product or component type	Socket
Device short name	Mureva socket
Plug, socket category	Low voltage
poles description	2P + E
Network type	AC
Outlet standard	Industrial

## Complementary

mounting mode	Panel-mounted
Plug, socket, control station shape	Straight
[In] rated current	16 A
[Ue] rated operational voltage	200...250 V
Network frequency	50/60 Hz
ground lug clockwise position	6 h
Plug, socket material	Housing: self-extinguishing engineering polymer
Contacts material	Sleeves: brass
Connections - terminals	Captive screws
cable cross section	1...4 mm <sup>2</sup>
net weight	0.148 kg
Base dimension	65 x 85 mm
Colour	Grey (RAL 7035)
Voltage colour	Blue

## Environment

Standards	IEC 60309-1 IEC 60309-2
IP degree of protection	IP67 conforming to IEC 60529
IK degree of protection	IK08 conforming to EN 62262
Fire resistance	850 °C conforming to IEC 60695-2-1
Relative humidity	50 % at 40 °C 70 % at 30 °C 90 % at 20 °C

---

Ambient air temperature for operation	35 °C ( 86400 s )
---------------------------------------	-------------------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	7.1 cm
------------------	--------

---

Package 1 Width	7.6 cm
-----------------	--------

---

Package 1 Length	8.9 cm
------------------	--------

---

Package 1 Weight	136.0 g
------------------	---------

---

Unit Type of Package 2	BB1
------------------------	-----

---

Number of Units in Package 2	10
------------------------------	----

---

Package 2 Height	12.4 cm
------------------	---------

---

Package 2 Width	26.8 cm
-----------------	---------

---

Package 2 Length	26.8 cm
------------------	---------

---

Package 2 Weight	1.472 kg
------------------	----------

---

Unit Type of Package 3	S03
------------------------	-----

---

Number of Units in Package 3	30
------------------------------	----

---

Package 3 Height	30.0 cm
------------------	---------

---

Package 3 Width	30.0 cm
-----------------	---------

---

Package 3 Length	40.0 cm
------------------	---------

---

Package 3 Weight	4.903 kg
------------------	----------

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO<sub>2</sub> thấp.

**Hướng dẫn đánh giá tính bền vững của sản phẩm** là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhãn sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)


[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Minh bạch [RoHS/REACH](#)

## Hiệu suất sức khỏe

 Mercury Free

 RoHS Exemption Information [Yes](#)

## Chứng nhận & Tiêu chuẩn

**Reach Regulation** [REACH Declaration](#)

**Eu RoHS Directive** Compliant with Exemptions

**China RoHS Regulation** [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

**Environmental Disclosure** [Product Environmental Profile](#)

**Circularity Profile** No need of specific recycling operations